

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
US - OSHA Hazard Communication Standard (29 CFR 1910.1200)

Issuing Date 15-Apr-2022

Revision Date 15-Apr-2022

Revision Number 1

1. Identification

Product identifier

Product Name Orange Ginger

Other means of identification

UN/ID no UN3082

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Air freshener

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Rexair LLC
2600 West Big Beaver Rd
Suite 555
Troy, MI 48084 USA
248-643-7222

E-mail webmaster@rexairllc.com

Emergency telephone number

Emergency telephone 1-800-255-3924 (ChemTel)

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Warning

Hazard statements

Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling.
 Avoid breathing dust/fume/gas/mist/vapors/spray.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/attention.
 IF ON SKIN: Wash with plenty of water and soap.
 Take off contaminated clothing and wash it before reuse.
 If skin irritation or rash occurs: Get medical advice/attention.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Trade secret
Hexylene glycol	107-41-5	10-20	*
Limonene	5989-27-5	1-5	*
Isopropyl alcohol	67-63-0	1-5	*
2-tert-Butylcyclohexyl acetate	88-41-5	0-4	*
Benzyl alcohol	100-51-6	0-2	*
alpha-Methylcinnamaldehyde	101-39-3	0-2	*
Dipropylene glycol monomethyl ether	34590-94-8	1-5	*
Vanillin	121-33-5	0-1	*
p-Methoxybenzaldehyde	123-11-5	0-1	*
Piperonal	120-57-0	0-1	*
Phenethyl alcohol	60-12-8	0-1	*
Ethyl vanillin	121-32-4	0-1	*
Ethyl butyrate	105-54-4	0-1	*
Ethyl 2-methyl-1,3-dioxolane-2-acetate	6413-10-1	0-1	*
Benzyl benzoate	120-51-4	0-1	*
2-Methyl-3-(p-isopropylphenyl)propionaldehyde	103-95-7	0-1	*
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclo penta-gamma-2-benzopyran	1222-05-5	0-1	*
Pinene	80-56-8	0.1-0.5	*
beta Pinene	127-91-3	0.1-0.5	*

Orange oil, sweet terpenes	68647-72-3	0-0.1	*
Coumarin	91-64-5	0-0.1	*
Citral	5392-40-5	0.1-0.5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	High volume water jet.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous combustion products	Carbon oxides.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Hexylene glycol 107-41-5	STEL: 50 ppm vapor fraction STEL: 10 mg/m ³ inhalable particulate matter, aerosol only TWA: 25 ppm vapor fraction	(vacated) Ceiling: 25 ppm (vacated) Ceiling: 125 mg/m ³	Ceiling: 25 ppm Ceiling: 125 mg/m ³
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m ³ (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³
Pinene 80-56-8	dermal sensitizer TWA: 20 ppm	-	-
beta Pinene	dermal sensitizer	-	-

127-91-3	TWA: 20 ppm		
Citral 5392-40-5	dermal sensitizer TWA: 5 ppm inhalable fraction and vapor S*	-	-

Biological occupational exposure limits

Chemical name	ACGIH
Isopropyl alcohol 67-63-0	40 mg/L - urine (Acetone) - end of shift at end of workweek

Appropriate engineering controls

Engineering controls Showers
 Eyewash stations
 Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Appearance Clear liquid
Physical state Liquid
Color Colorless
Odor Fragrance
Odor threshold No data available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH		No data available
Melting point / freezing point		No data available
Initial boiling point and boiling range		No data available
Flash point	124 °C / 255.2 °F	Pensky-Martens Closed Cup (PMCC)
Evaporation rate		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available
Vapor pressure		No data available
Vapor density		No data available
Relative density		No data available
Water solubility		No data available
Solubility(ies)		No data available
Partition coefficient		No data available

Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

Other information

Explosive properties	No information available
Oxidizing properties	No information available
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Liquid Density	No information available
Bulk density	No information available

10. Stability and reactivity

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Acids. Bases. Metals. Oxidizing or reducing agents. Metal salts. Isocyanates.
Hazardous decomposition products	Carbon oxides. Aldehydes.

11. Toxicological information**Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.
----------	---

Acute toxicity

Numerical measures of toxicity	No information available
--------------------------------	--------------------------

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hexylene glycol 107-41-5	= 3700 mg/kg (Rat)	= 12300 mg/kg (Rabbit)	-
Limonene 5989-27-5	= 5200 mg/kg (Rat) = 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Isopropyl alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h
2-tert-Butylcyclohexyl acetate 88-41-5	= 4600 mg/kg (Rat)	-	-
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	> 4178 mg/m ³ (Rat) 4 h
alpha-Methylcinnamaldehyde 101-39-3	= 2050 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Dipropylene glycol monomethyl ether 34590-94-8	= 5.35 g/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Vanillin 121-33-5	= 1580 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	-
p-Methoxybenzaldehyde 123-11-5	> 2000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 0.32 mg/L (Rat) 7 h
Piperonal 120-57-0	= 2700 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Phenethyl alcohol 60-12-8	= 1609 mg/kg (Rat)	= 2535 mg/kg (Rabbit)	> 4.63 mg/L (Rat) 4 h
Ethyl vanillin 121-32-4	= 1590 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Ethyl butyrate 105-54-4	= 13 g/kg (Rat)	> 2000 mg/kg (Rat)	-
Ethyl 2-methyl-1,3-dioxolane-2-acetat e 6413-10-1	> 5 g/kg (Rat)	-	-
Benzyl benzoate 120-51-4	= 500 mg/kg (Rat)	= 4000 mg/kg (Rabbit)	-
2-Methyl-3-(p-isopropylphenyl)p ropionaldehyde 103-95-7	= 3810 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1,3,4,6,7,8-Hexahydro-4,6,6,7,8 ,8-hexamethylcyclopenta-gamm a-2-benzopyran 1222-05-5	> 3250 mg/kg (Rat)	> 3250 mg/kg (Rabbit)	-
Pinene 80-56-8	= 3700 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
beta Pinene 127-91-3	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Coumarin 91-64-5	> 5000 mg/kg (Rat)	= 293 mg/kg (Rat)	-
Citral 5392-40-5	= 4960 mg/kg (Rat)	= 2250 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation**

Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization Classification based on data available for ingredients. May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Limonene 5989-27-5	-	Group 3	-	X
Isopropyl alcohol 67-63-0	-	Group 3	-	-
Coumarin 91-64-5	-	Group 3	-	-

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target organ effects Respiratory system. Eyes. Skin. Central nervous system.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity Toxic to aquatic life, Toxic to aquatic life with long lasting effects (applicable for Orange Ginger fragrance only).

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hexylene glycol 107-41-5	-	LC50: 10500 - 11000mg/L (96h, Pimephales promelas) LC50: =10000mg/L (96h, Lepomis macrochirus) LC50: =8690mg/L (96h, Pimephales promelas) LC50: =10700mg/L (96h, Pimephales promelas)	-	EC50: 2700 - 3700mg/L (48h, Daphnia magna)
Limonene 5989-27-5	-	LC50: 0.619 - 0.796mg/L (96h, Pimephales promelas) LC50: =35mg/L (96h, Oncorhynchus mykiss)	-	-

Isopropyl alcohol 67-63-0	EC50: >1000mg/L (96h, Desmodemus subspicatus) EC50: >1000mg/L (72h, Desmodemus subspicatus)	LC50: =9640mg/L (96h, Pimephales promelas) LC50: =11130mg/L (96h, Pimephales promelas) LC50: >1400000µg/L (96h, Lepomis macrochirus)	-	EC50: =13299mg/L (48h, Daphnia magna)
Benzyl alcohol 100-51-6	-	LC50: =460mg/L (96h, Pimephales promelas) LC50: =10mg/L (96h, Lepomis macrochirus)	-	EC50: =23mg/L (48h, water flea)
Dipropylene glycol monomethyl ether 34590-94-8	-	LC50: >10000mg/L (96h, Pimephales promelas)	-	LC50: =1919mg/L (48h, Daphnia magna)
Vanillin 121-33-5	-	LC50: 53 - 61.3mg/L (96h, Pimephales promelas) LC50: =88mg/L (96h, Pimephales promelas) LC50: =57mg/L (96h, Pimephales promelas)	-	-
Piperonal 120-57-0	-	LC50: =2.5mg/L (96h, Cyprinus carpio)	-	-
Phenethyl alcohol 60-12-8	EC50: =490mg/L (72h, Desmodemus subspicatus)	-	-	EC50: =287.17mg/L (48h, Daphnia magna)
Ethyl vanillin 121-32-4	-	LC50: 81.4 - 94.3mg/L (96h, Pimephales promelas)	-	-
Ethyl 2-methyl-1,3-dioxolane-2-acetate 6413-10-1	-	LC50: >100mg/L (96h, Oncorhynchus mykiss)	-	-
Benzyl benzoate 120-51-4	-	LC50: =2.32mg/L (96h, Danio rerio)	-	-
Pinene 80-56-8	-	LC50: =0.28mg/L (96h, Pimephales promelas)	-	LC50: =41mg/L (48h, Daphnia magna)
Citral 5392-40-5	EC50: =16mg/L (72h, Desmodemus subspicatus) EC50: =19mg/L (96h, Desmodemus subspicatus)	-	-	EC50: =7mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Hexylene glycol 107-41-5	<0.14
Limonene 5989-27-5	4.38
Isopropyl alcohol 67-63-0	0.05
Benzyl alcohol	1.05

100-51-6	
Dipropylene glycol monomethyl ether 34590-94-8	0.35
Vanillin 121-33-5	1.23
p-Methoxybenzaldehyde 123-11-5	1.56
Piperonal 120-57-0	1.2
Phenethyl alcohol 60-12-8	1.36
Ethyl vanillin 121-32-4	1.61
Ethyl butyrate 105-54-4	2.433
Ethyl 2-methyl-1,3-dioxolane-2-acetate 6413-10-1	0.8
Benzyl benzoate 120-51-4	3.97
2-Methyl-3-(p-isopropylphenyl)propionaldehyde 103-95-7	3.4
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma -2-benzopyran 1222-05-5	5.3
Pinene 80-56-8	4.1
Citral 5392-40-5	2.76

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

Note: The below information is applicable only to the Orange Ginger Fragrance. All other fragrances ship as 'Not Regulated'.

DOT

UN/ID no	UN3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class(es)	9
Packing group	III
Special Provisions	8, 146, 173, 335, IB3, T4, TP1, TP29
DOT Marine Pollutant	I
Marine pollutant	Limonene, beta Pinene
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Limonene,

Emergency Response Guide Number beta Pinene), 9, III, Marine pollutant
171

IATA

UN number or ID number UN3082
UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es) 9
Packing group III
IATA Technical Name Limonene, beta Pinene
Special Provisions A97, A158, A197
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Limonene, beta Pinene), 9, III
ERG Code 9L

IMDG

UN number or ID number Not regulated
UN3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class(es) 9
Packing group III
EmS-No F-A, S-F
Marine pollutant P
Marine pollutant Limonene, beta Pinene
Special Provisions 274, 335, 969
Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Limonene, beta Pinene), 9, III, Marine pollutant

15. Regulatory information**International Inventories**

Contact supplier for inventory compliance status

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	1.0
Dipropylene glycol monomethyl ether - 34590-94-8	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Dipropylene glycol 25265-71-8	-	-	X
Hexylene glycol 107-41-5	X	X	X
Isopropyl alcohol 67-63-0	X	X	X
Benzyl alcohol 100-51-6	-	X	X
Dipropylene glycol monomethyl ether 34590-94-8	X	X	X
Ethyl butyrate 105-54-4	X	X	X
Pinene 80-56-8	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA	Health hazards 2	Flammability 1	Instability 0	Special hazards -
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Issuing Date 15-Apr-2022

Revision Date 15-Apr-2022

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet