

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
US - OSHA Hazard Communication Standard (29 CFR 1910.1200)

Issuing Date 11-Aug-2020

Revision Date 27-Aug-2021

Revision Number 1.01

## 1. Identification

### Product identifier

**Product Name** Fragrance - Violet

### Other means of identification

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** Air freshener

**Restrictions on use** No information available

### Details of the supplier of the safety data sheet

#### Manufacturer Address

Rexair LLC  
2600 West Big Beaver Rd  
Suite 555  
Troy, MI 48084 USA  
248-643-7222

**E-mail** webmaster@rexairllc.com

### Emergency telephone number

**Emergency telephone** 1-800-255-3924 (ChemTel)

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Carcinogenicity	Category 2

### Hazards not otherwise classified (HNOC)

Not applicable.

### Label elements

#### **Warning**

#### **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer.



#### Precautionary Statements - Prevention

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Wash face, hands and any exposed skin thoroughly after handling  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Contaminated work clothing must not be allowed out of the workplace

#### Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention  
 IF ON SKIN: Wash with plenty of water and soap  
 Take off contaminated clothing and wash it before reuse  
 If skin irritation or rash occurs: Get medical advice/attention

#### Precautionary Statements - Storage

Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other information

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

### 3. Composition/information on ingredients

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%	Trade secret
Hexylene glycol	107-41-5	10-20	*
Isopropyl alcohol	67-63-0	1-5	*
Terpineol	98-55-5	1-5	*
Phenethyl alcohol	60-12-8	1-5	*
a-Isomethyl ionone	127-51-5	1-5	*
4-tert-Butylcyclohexyl acetate	32210-23-4	1-5	*
Dipropylene glycol monomethyl ether	34590-94-8	1-5	*
Terpinyl acetate (Isomer mixture)	8007-35-0	1-5	*
Orange oil, sweet terpenes	68647-72-3	1-5	*
Musk ketone	81-14-1	1-5	*
Geraniol	106-24-1	< 3	*
Diphenyl ether	101-84-8	1-5	*
Benzyl benzoate	120-51-4	1-5	*

2-tert-Butylcyclohexyl acetate	88-41-5	1-5	*
Phenethyl salicylate	87-22-9	0.1-0.5	*
2-Methyl-3-(p-isopropylphenyl)propionaldehyde	103-95-7	0.1-0.5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First-aid measures

##### Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
<b>Inhalation</b>	Remove to fresh air. Get medical attention immediately if symptoms occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.
<b>Ingestion</b>	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

##### Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

##### Indication of any immediate medical attention and special treatment needed

**Note to physicians** May cause sensitization in susceptible persons. Treat symptomatically.

#### 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	Dry chemical, CO <sub>2</sub> , water spray or regular foam.
<b>Unsuitable extinguishing media</b>	High volume water jet.
<b>Specific hazards arising from the chemical</b>	Product is or contains a sensitizer. May cause sensitization by skin contact.
<b>Hazardous combustion products</b>	Carbon oxides.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

#### 6. Accidental release measures

##### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## **7. Handling and storage**

### Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

## **8. Exposure controls/personal protection**

### Control parameters

**Exposure Limits** The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Hexylene glycol 107-41-5	STEL: 50 ppm vapor fraction STEL: 10 mg/m <sup>3</sup> inhalable particulate matter, aerosol only TWA: 25 ppm vapor fraction	(vacated) Ceiling: 25 ppm (vacated) Ceiling: 125 mg/m <sup>3</sup>	Ceiling: 25 ppm Ceiling: 125 mg/m <sup>3</sup>
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>
Diphenyl ether	STEL: 2 ppm vapor fraction	TWA: 1 ppm vapor	IDLH: 100 ppm vapor

101-84-8	TWA: 1 ppm vapor	TWA: 7 mg/m <sup>3</sup> vapor (vacated) TWA: 1 ppm vapor (vacated) TWA: 7 mg/m <sup>3</sup> vapor	TWA: 1 ppm vapor TWA: 7 mg/m <sup>3</sup> vapor
----------	------------------	--	--

**Biological occupational exposure limits**

Chemical name	ACGIH
Isopropyl alcohol 67-63-0	40 mg/L - urine (Acetone) - end of shift at end of workweek

**Appropriate engineering controls**

**Engineering controls**                      Showers  
 Eyewash stations  
 Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**                      Wear safety glasses with side shields (or goggles).

**Hand protection**                              Wear suitable gloves. Impervious gloves.

**Skin and body protection**                      Wear suitable protective clothing. Long sleeved clothing.

**Respiratory protection**                      No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations**                      Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

**9. Physical and chemical properties****Information on basic physical and chemical properties**

**Appearance**                                      Clear liquid  
**Physical state**                                      Liquid  
**Color**    Colorless  
**Odor**    Fragrance  
**Odor threshold**                                      No data available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH		No data available
Melting point / freezing point		No data available
Initial boiling point and boiling range		No data available
Flash point	124 °C / 255.2 °F	Pensky-Martens Closed Cup (PMCC)
Evaporation rate		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available
Vapor pressure		No data available
Vapor density		No data available
Relative density		No data available
Water solubility		No data available
Solubility(ies)		No data available
Partition coefficient		No data available
Autoignition temperature		No data available

Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

**Other information**

Explosive properties	No information available
Oxidizing properties	No information available
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Liquid Density	No information available
Bulk density	No information available

**10. Stability and reactivity**

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Acids. Bases. Metals. Oxidizing or reducing agents. Metal salts. Isocyanates.
Hazardous decomposition products	Carbon oxides. Aldehydes. Alcohols. Ethers. Organic acids and their derivatives.

**11. Toxicological information****Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Symptoms related to the physical, chemical and toxicological characteristics**

Symptoms	Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.
----------	---

**Acute toxicity****Numerical measures of toxicity****Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
---------------	-----------	-------------	-----------------

Hexylene glycol 107-41-5	= 3700 mg/kg ( Rat )	= 12300 mg/kg ( Rabbit )	-
Isopropyl alcohol 67-63-0	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	> 10000 ppm ( Rat ) 6 h
Terpineol 98-55-5	= 5170 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	-
Phenethyl alcohol 60-12-8	= 1609 mg/kg ( Rat )	= 2535 mg/kg ( Rabbit )	> 4.63 mg/L ( Rat ) 4 h
a-Isomethyl ionone 127-51-5	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
4-tert-Butylcyclohexyl acetate 32210-23-4	= 5 g/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Dipropylene glycol monomethyl ether 34590-94-8	= 5.35 g/kg ( Rat )	= 9500 mg/kg ( Rabbit )	-
Musk ketone 81-14-1	> 10 g/kg ( Rat )	> 10 g/kg ( Rabbit )	> 2.99 mg/L ( Rat ) 4 h
Geraniol 106-24-1	= 3600 mg/kg ( Rat )	> 5 g/kg ( Rabbit )	-
Diphenyl ether 101-84-8	= 2450 mg/kg ( Rat )	> 7940 mg/kg ( Rabbit )	-
Benzyl benzoate 120-51-4	= 500 mg/kg ( Rat )	= 4000 mg/kg ( Rabbit )	-
2-tert-Butylcyclohexyl acetate 88-41-5	= 4600 mg/kg ( Rat )	-	-
2-Methyl-3-(p-isopropylphenyl)p ropionaldehyde 103-95-7	= 3810 mg/kg ( Rat )	> 5000 mg/kg ( Rat )	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. Irritating to skin.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	Classification based on data available for ingredients. May cause sensitization by skin contact.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0	-	Group 3	-	-

#### Legend

##### IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

##### OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Target organ effects</b>	Respiratory system. Eyes. Skin. Central nervous system.

**Aspiration hazard** No information available.

**Other adverse effects** No information available.

**Interactive effects** No information available.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hexylene glycol 107-41-5	-	LC50: 10500 - 11000mg/L (96h, Pimephales promelas) LC50: =10000mg/L (96h, Lepomis macrochirus) LC50: =10700mg/L (96h, Pimephales promelas) LC50: =8690mg/L (96h, Pimephales promelas)	-	EC50: 2700 - 3700mg/L (48h, Daphnia magna)
Isopropyl alcohol 67-63-0	EC50: >1000mg/L (72h, Desmodesmus subspicatus) EC50: >1000mg/L (96h, Desmodesmus subspicatus)	LC50: =11130mg/L (96h, Pimephales promelas) LC50: =9640mg/L (96h, Pimephales promelas) LC50: >1400000µg/L (96h, Lepomis macrochirus)	-	EC50: =13299mg/L (48h, Daphnia magna)
Phenethyl alcohol 60-12-8	EC50: =490mg/L (72h, Desmodesmus subspicatus)	-	-	EC50: =287.17mg/L (48h, Daphnia magna)
4-tert-Butylcyclohexyl acetate 32210-23-4	-	LC50: =8.6mg/L (96h, Cyprinus carpio)	-	-
Dipropylene glycol monomethyl ether 34590-94-8	-	LC50: >10000mg/L (96h, Pimephales promelas)	-	LC50: =1919mg/L (48h, Daphnia magna)
Geraniol 106-24-1	-	LC50: =22mg/L (96h, Danio rerio)	-	-
Diphenyl ether 101-84-8	-	LC50: 4 - 7.9mg/L (96h, Pimephales promelas) LC50: =4mg/L (96h, Pimephales promelas)	-	LC50: 0.11 - 1.1mg/L (48h, Daphnia magna)
Benzyl benzoate 120-51-4	-	LC50: =2.32mg/L (96h, Danio rerio)	-	-

**Persistence and degradability** No information available.

### Bioaccumulation

#### Component Information

Chemical name	Partition coefficient
Hexylene glycol 107-41-5	0.14
Isopropyl alcohol 67-63-0	0.05



Phenethyl alcohol 60-12-8	1.38
Dipropylene glycol monomethyl ether 34590-94-8	-0.064
Diphenyl ether 101-84-8	4.2
Benzyl benzoate 120-51-4	4

**Other adverse effects** No information available.

### 13. Disposal considerations

#### Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as a hazardous waste.

### 14. Transport information

**DOT** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

### 15. Regulatory information

#### International Inventories

Contact supplier for inventory compliance status

#### US Federal Regulations

##### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	1.0
Dipropylene glycol monomethyl ether - 34590-94-8	1.0

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Dipropylene glycol 25265-71-8	-	-	X
Hexylene glycol 107-41-5	X	X	X
Isopropyl alcohol 67-63-0	X	X	X
Dipropylene glycol monomethyl ether 34590-94-8	X	X	X
Diphenyl ether 101-84-8	X	X	X

### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

## 16. Other information

<b>NFPA</b>	<b>Health hazards</b> 2	<b>Flammability</b> 1	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> 2*	<b>Flammability</b> 1	<b>Physical hazards</b> 0	<b>Personal protection</b> X

*Chronic Hazard Star Legend* \* = Chronic Health Hazard

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### **Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

#### **Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 EPA (Environmental Protection Agency)  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan GHS Classification  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

**Issuing Date** 11-Aug-2020

**Revision Date** 27-Aug-2021

**Revision Note** SDS sections updated: 1.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**